

Exhibit C

Page 1 of 2

Message0720	
Subject:	the total
From:	MSC
Date:	5/12/2008 10:40:59 PM
To:	Jirair H. Avanesian
Message Body	
<p>Hi Jirair first of all thanks for all you have done . are those instruments include calibration crtificates and is the \$18,515.00 the price which i will take the instuments here i mean TEHRAN ? thanks and regards Levick</p>	

Outlook Header Information
<p>Conversation Topic: the total Sender Name: MSC Received By: Jirair H. Avanesian Delivery Time: 5/12/2008 10:40:59 PM Creation Time: 5/12/2008 10:40:59 PM Submit Time: 5/12/2008 10:42:59 PM Importance: Normal Sensitivity: Normal Flags: 3 = Read, Unmodified Size: 5685</p>
Standard Header Information
<p>Microsoft Mail Internet Headers Version 2.0 Received: from apollo.promailserver.com ([64.62.167.133]) by s8750pro.atechso.org with Microsoft SMTPSVC(6.0.3790.3959); Mon, 12 May 2008 22:40:59 -0700 Message-ID: <000801c8b4bc\$36f1d990\$0a01a8c0@office02d1c0c> From: "MSC" <mail@microservice-co.com> To: "Jirair" <jirair@xvac.com> Subject: the total Date: Tue, 13 May 2008 09:12:59 +0330 MIME-Version: 1.0 Content-Type: multipart/alternative; boundary="----- NextPart_000_0005_01C8B4D9.8A34ACF0" X-WatchGuard-IPS: message checked X-WatchGuard-Spam-ID: str=0001.0A090203.48292A6A.0035,ss=1,fgs=0 X-WatchGuard-Spam-Score: 0, clean: 0, no virus X-WatchGuard-Mail-Client-IP: 64.62.167.133 X-WatchGuard-Mail-From: mail@microservice-co.com X-WatchGuard-AntiVirus: part scanned, clean action=allow Return-Path: mail@microservice-co.com X-OriginalArrivalTime: 13 May 2008 05:40:59.0687 (UTC) FILETIME= [EC53FB70:01C8B4BB]</p>

Page 2 of 2

-----=_NextPart_000_0005_01C8B4D9.8A34ACF0
Content-Type: text/plain;
charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable
X-WatchGuard-AntiVirus: part scanned, clean action=allow

-----=_NextPart_000_0005_01C8B4D9.8A34ACF0
Content-Type: text/html;
charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable
X-WatchGuard-AntiVirus: part scanned, clean action=allow

-----=_NextPart_000_0005_01C8B4D9.8A34ACF0--